

Index

- AgNORs, see 'keratocyst', 45, 48, 49
- allergy,
mucosal cyst of maxillary sinus, 164
- ameloblastic fibroma
in calcifying odontogenic cyst, 101, 104
- ameloblastic fibro-odontome
in calcifying odontogenic cyst, 101, 104
- ameloblastoma,
in calcifying odontogenic cyst, 101, 104
- aneurysmal bone cyst, 150–155
clinical features, 150
clinical presentation, 150, 151
frequency, 150
gender, 150
histological features, 153, 154
malignant form, 152–155
multinucleate giant cells, 153, 154
markers for osteoclast phenotype, 154
pathogenesis, 151–153
pathology, 153
pre-existing lesions, 152, 153
radiological features, 151, 154
recurrence rates, 154
site, 150
treatment, 154, 155
- anterior median lingual cyst, 188, 189
- antral cysts, see maxillary antral cysts
- antikeratin monoclonal antibodies, see cytokeratins
- apical granulomas, 126, 129–131, 141
- bay cyst, 126, 139
- Blandin and Nuhn glands
mucocoeles, 173
- blood group antigens,
dentigerous cysts, 72
keratocysts, 32
- Bohn's nodules, 3
- bone cyst, *see under* 'aneurysmal' and 'solitary'
- bone morphogenic protein-4 (BMP-4), 45
- bone resorption, 67, 68, 71, 129, 133, 134
- botryoid odontogenic cyst, 91, 93
clinical presentation, 91, 92
cytokeratin, 93
frequency, 91
pathogenesis and histopathology, 92, 93
radiological features, 92
recurrence, 92
treatment, 93
- branchial cleft anomalies, 184
- branchial cleft cysts, 184, 185
histological features, 185
pathogenesis, 184
site and clinical features, 185
intraoral lymphoepithelial cysts, 185, 186
clinical features, 185, 186
DALT, duct associated lymphoid tissue, 186
histological features, 186
pathogenesis, 186
treatment, 187
see also lymphoepithelial cysts
- breathing:
problems from cysts, 119, 182, 190
- bronchogenic cyst, 190
development, 190
histological features, 190
- buccal cysts:
juvenile paradental, 144–147
- calcification:
cysticercosis, 194
- calcifying odontogenic cyst, 102–107
age distribution, 101, 102
classifications, 100, 101, 105, 106
clinical features, 101
clinical presentation, 102, 103
definition, 103
epithelial lining, 103, 105, 106
frequency, 101
gender, 101
genetic studies, 100, 103, 107
immunohistochemistry, 101, 106
melanin deposits, 105
- multicystic, 105
multilocular, 102
odontogenic tumours, 101, 103, 104
pathogenesis and pathology, 100, 103, 107
peripheral lesions, 101, 102, 105
radiological features, 102, 103
satellite cysts, 105
site, 101, 102
treatment, 107
ultrastructure, 107
unilocular and multicystic, 105
- Caldwell-Luc operation, 163, 167–170
- carcinoembryonic antigen,
odontogenic cysts, 39, 43
- ceroid,
radicular cysts, 138
- children, 181, 182
cystic hygroma, 190, 191
dermoid, 182
developmental cysts, 181–183, 187, 189
eruption cysts, 76
gingival cysts of infants, 3–5
mucocoeles, 171
oral alimentary tract cysts, 188
radicular cysts, 123, 125
thyroglossal duct cyst, 187
- cholesteatoma, 6
- cholesterol clefts
radicular cysts, 134, 137–140
keratocysts, 36
- cholesterol crystals in radicular cysts, 134, 137, 138
- classification of cysts, 1, 2
- clear cells, 87, 88, 92
- collagen IV:
keratocysts, 19, 22
- collagenase in keratocyst, 19, 20, 36
- collagenolytic activity, 19
- collateral cyst,
inflammatory, 123
variety of keratocyst, 25
- congenital intralingual cyst, 190
- congenital sublingual cysts, 183
- cysticercosis, 193

- cystic hygroma, 190, 191
Cysticercus cellulosae, 193, 194
 cytokeratins, 38–43, Table 3.6, 49, 50
 dentigerous cysts, 74
 keratocysts, 38
 lateral periodontal cyst, 93
 radicular cysts, 139
- deciduous teeth:
 associated with radicular cysts, 123, 125
 definition of a cyst, 1
 dental lamina:
 development of keratocysts, 7, 15, 17, 28–30, 35, 43, 44, 53
 gingival cysts, 82–84
 lateral periodontal cysts, 84, 86–88
 dentigerous cysts, 1, 2, 59–75
 age distribution, 59–61, 64
 age standardised incidence rates, 60, 61
 ameloblastoma, 74
 anatomical distribution, 62, 64, 65
 animal experiments, 68, 69
 apoptosis, 66
 bcl-2, 66
 blood group antigens, 72
 carcinomatous changes in, 161
 central variety, 63, 65
 circumferential variety, 63–65, 69
 clinical features, 59–62
 clinical presentation, 62, 63
 cytokeratins, 38–43, 74
 deciduous teeth, 63, 70
 definition, 59
 diagnosis, 59, 64–66, 70, 74
 enucleation, 75
 epidermal growth factor, 74
 epithelial lining, 69, 71–73, 75
 extrafollicular origin, 69
 Fas, 66
 frequency of, 59
 fluids, 70, 71
 gender distribution, 60, 62, 68
 growth, 67, 68, 71, 72, 74
 glycosaminoglycans, 71
 immunoglobulins, 70, 71
 impacted teeth, 62, 63, 66, 68, 70, 71, 75
 inflammation, 65, 66, 69–73
 inflammatory origin, 73
 interleukin 1, 67
 intrafollicular origin, 68
 lateral type, 63, 64
 mucous metaplasia, 66
 origin, 62, 64, 65, 68, 69, 71, 72, 74
 pathogenesis, 66, 68, 70
 pathology, 73, 73
 prostaglandins, 67, 71
 protein in fluid, 70
 p53, 66
 racial frequency, 62, 68
 radiology, 63–66
 root resorption, 64
 site, 62, 64, 75
 teeth involved, 59, 60, 62, 63, 65, 66, 68–72, 75
 transforming growth factor, 74
 treatment, 75
 TUNEL, 66
- dermoid and epidermoid cysts, 181–183
 age distribution, 181
 clinical features, 181
 clinical presentation, 182
 frequency, 181
 gender, 181
 histological features, 183
 pathogenesis, 182
 site, 182
 treatment, 183
 implantation keratinising epidermoid cysts, 182
- developmental cysts of soft tissues, 181–191, *see also specific cysts and sites, branchial cleft cysts, bronchogenic cysts, dermoid cysts, keratinous cysts of skin, lingual cysts of foregut origin, thyroglossal duct cysts*
- developmental defects of mandible, 160
- Echinococcus spp.*, 192
 elafin 44, 45
 enamel,
 hypoplasia in dentigerous cysts, 69
 projections and paradental cysts, 143
 epidermal cyst, of the skin, 183, 184
 epidermal growth factor (EGF), 44
 epidermoid cysts, *see dermoid and epidermoid cysts*, 181
 epithelial membrane antigen, 39, 74
 epithelial plaques in cysts, 83, 87–89, 92
 eruption cyst, 76–78
 clinical features, 76, 77
 epithelial lining, 77, 78
 frequency, 76
 pathogenesis, 76, 77
 pathology, 77, 78
 radiological features, 76
 treatment, 78
 experimental production of cysts,
 dentigerous, 68, 69
 keratocyst, 37
 radicular, 131, 133, 134
- face:
 dermoid cysts, 181–183
 epidermal cyst, 183, 184
 factor XIIIa in radicular cysts, 139
 fibronectin, 19, 22
 flatworms (Cestoidea), 192
 follicular cyst, *see dentigerous cyst*
 follicular keratocyst, 25
 foramen caecum, 186, 188
 foregut,
 lingual cysts, 188–190 *see lingual cysts*
 frequency of various jaw cysts, 2
- gastric epithelium in oral cysts, 188, 189
 ghost cells in calcifying odontogenic cyst, 100, 103–107
- gingival cysts,
 of adults, 79–84
 age, 80, 81
 ameloblasts, 82, 84
 bone erosion, 79–81
 clinical features, 79
 clinical presentation, 81
 epidermoid and keratocyst varieties, 80, 83
 frequency, 2, 80
 gender frequency, 80, 81
 histology, 84
 multicystic form, 83, 84
 pathogenesis, 79, 82, 87
 radiology, 79, 81
 relation to lateral periodontal cyst, 79, 80, 83
 site, 80, 81
 treatment, 84
 of infants, 3–5
 age distribution, 3
 clinical features, 3
 frequency, 3
 pathogenesis, 3, 4
 pathology and treatment, 4, 5
- glandular odontogenic cyst, 94–99
 age, 95
 aggressive behaviour, 96, 99
 clinical presentation, 96
 cytokeratins, 98
 frequency, 95
 gender, 95
 histological features, 94, 95, 97, 98
 immunocytochemistry, 98, 99
 mucoepidermoid carcinoma resemblance, 98, 99
 multilocularity, 94, 96, 97, 99
 PTCH gene, 99
 radiological features, 95–97
 recurrences, 96, 99
 site, 95, 96
 terminology, 94, 95
 treatment, 99
- globulomaxillary cyst, 116, 118
 keratocysts and, 11, 26
 glycosaminoglycans in cyst fluids, 18, 19, 31, 71, 133

- goblet cells, *see also mucous cells*
 bronchogenic cysts, 190
 glandular odontogenic cysts, 99
 in nasolabial cysts, 122
 in nasopalatine duct cysts, 113, 114
 radicular cysts, 135
 thyroglossal duct cyst, 18
- Gorlin cyst, *see calcifying odontogenic cyst*
- Gorlin-Goltz syndrome, *see naevoid basal cell carcinoma syndrome*
- haemorrhagic bone cyst, *see solitary bone cyst*
- haemosiderin in radicular cysts, 138, 140
- heparin in cyst fluid, 18, 19
- human immunodeficiency virus (HIV), 176, 178
- hyaline bodies:
 dentigerous cysts, 73
 keratocysts, 36
 radicular cysts, 136–138
- hyaline cartilage in cyst walls, 114–116
- hyaluronic acid in cyst fluid, 18, 19, 170
- hydatid cysts, 192, 193
- hydatid sand, 193
- immune mechanisms in radicular cysts, 125, 128, 129, 131, 132, 134
- immunoglobulins:
 dentigerous cysts, 70, 71
 keratocysts, 18, 34
 radicular cysts, 128, 131, 132
- incisive canal cyst, *see nasopalatine duct cyst*
- incisive fossae, 110, 111
- infection,
 maxillary antral cyst, 163, 164, 166, 167
 nasopalatine duct cyst, 113
 radicular cyst, 125, 127, 132, 142
- inflammation,
 antral cysts, 164, 167
 keratocyst, 16, 19, 22, 33, 34, 37, 42–45, 48, 49, 55
 radicular cyst, 125–128, 130, 132, 134, 135, 140–142
- inflammatory collateral cyst, 123
- inflammatory paradental cyst (*see paradental cyst*)
- interleukins, 19, 20
- intralingual cyst of foregut origin, 189
- Jacobson's organ, 115
- keratinous cysts, of skin, 183, 184
 epidermal cyst, 183, 184
 trichilemmal (pilar) cyst, 184
- keratocyst, 6–58
 age distribution, 7–10
 age-specific morbidity rates, 7–9
 aggressive behaviour, 3, 11, 13–16, 22, 43, 45–47, 50–53, 57
 AgNORs, 45, 48, 49
 ameloblastomatoid formations, 16, 35
 ameloblastomatous change, 30
 antigen, 33
 apoptosis, 50–53
 arising from basal cell proliferation, 10, 16, 29, 30, 35, 49
 arising from dental lamina, 7, 15, 17, 28–30, 35, 43, 44, 53
 bcl-2 and bcl-1 (cyclin), 12, 51–53, 58
 blood group antigens, 32
 blood vessels, 36, 37
 bone resorption and OKC growth, 19–23
 bony expansion, 8, 12, 24
 budding of basal layer, 15, 16, 35, 49, 55, 57
 calretinin, 45, 50
 carbohydrate components, 38
 carcinoembryonic antigen (CEA), 39–43
 carcinomatous potential, 31
 Carnoy's fluid, 57
 cholesterol clefts, 36
 clinical features, 7
 clinical presentation, 11
 collagen IV, 19, 22
 collagenase, 19, 20, 36
 collagenolytic activity, 19
 collateral variety, 25
 computerised tomography (CT) scanning, 26–29
 crystalline deposits, 34
 cyst fluids, 18, 19, 21, 32–34
 lactoferrin, 33, 34
 osmolality, 18
 protein, 32, 33
 cyst lining, 15, 16, 18, 23–25, 31–37, 39, 43, 45–49, 52, 53, 57, 58
 cytokeratins,
 dentigerous cysts, 74
 keratocysts, 38–43, 49, 50
 lateral periodontal cysts, 93
 radicular cysts, 139
 deflecting roots, 26
 dental lamina, remnants or proliferating, 7, 15, 17, 28–30, 35, 43, 44, 53
 differential diagnosis, 27, 38
 elafin, 44, 45
 enlargement, 17–23
 bone resorption, 19–23
 glycosaminoglycans, 17, 18
 inflammatory exudate, 18
 osmolality, 18
 rate of growth, 17, 18
 enucleation, 13, 14, 17, 57, 58
 envelopmental OKC, 25
 enzyme histochemistry, 37, 38
 epidermal growth factor (EGF), 44
 epithelial cell rests in OKC wall, 16
 epithelial dysplasia, 31, 45
 epithelial lining, 18, 22, 31, 32, 35–37, 48
 growth potential, 15, 18, 42, 44, 51
 histology, 6, 16, 30, 37
 infolding, 18
 proliferation, 16–18, 20, 22, 29, 35, 37–39, 44, 45, 48–52, 58
 sources, 27
 epithelial membrane antigens (EMA), 39–41, 43
 etiology, 53
 expansion of bone, 12, 24
 experimental production of cysts, 37
 extraneous variety of OKC, 25
 family history, 10, 12
 fas (CD95), 52
 fibrous capsule, 17–19, 34
 'fissural' cysts, 6
 follicular OKC, 25
 frequency, 7, 8
 genetics, 16, 29, 45, 48, 53–56
 gender and race distributions, 7, 8, 10, 16
 glycosaminoglycans, 18, 19, 36
 Gp38, 45
 growth, 23, 24, 30, 37, 42, 44, 45, 48, 51, 54, 57, 58
 growth rate, 17
 histochemistry of cell surface carbohydrates, 32
 histopathology, 8, 30, 45, 57
 human papilloma virus, 31
 hyaline bodies, 36
 immunoglobulins, 34
 immunohistochemistry, 38–53
 incidence, 7–10
 incomplete eradication, 14
 infected OKCs, 11, 27
 inflammatory exudate, 17, 18, 34
 IPO-38 antigen, 51
 keratinized layer, 30
 keratinised squames (*see squames*)
 keratocyst antigen (KCA), 33
 keratocystic odontogenic tumour, 6
 Ki-67, 12, 39, 43, 45, 47–53, 56, 58
 lactoferrin in OKC fluid, 33, 34
 magnetic resonance imaging (MRI), 12, 26, 27, 29
 malignant change, 31, 56
 marsupialisation, 14, 20, 57, 58
 mast cells, 19, 36
 melanin pigmentation, 36
 mesenchymal capsule, 34, 35, 37
 mitotic activity, 17, 18, 31
 monoclonal antibodies, 38–40, 42–44

- keratocyst (*cont.*)
- mucous metaplasia, 19, 36
 - multilocularity, 14, 18, 23, 24, 27, 57
 - multiple OKCs, 10, 11, 14, 16, 17, 28, 29, 34, 35, 54
 - myofibroblasts, 22, 23
 - naevoid basal cell carcinoma syndrome (NBCCS), 10–12, 14, 16, 22, 29, 31, 32, 34–36, 43, 45–48, 50–56
 - NBCCS gene, 53
 - nucleolar organising regions, 45
 - orthokeratinisation, 7, 11, 14, 22, 30, 31, 34, 36, 39, 41, 43, 45, 50, 51
 - orthokeratinised odontogenic cyst (OOC), 30, 34, 36, 43, 51
 - parathyroid hormone-related protein (PTHrP), 23
 - pathogenesis, 28, 37, 38, 44, 53
 - pathology, 8, 30, 45, 57
 - PCNA, 45–52
 - perforation of bone, 12–15, 17, 24, 26–28, 57
 - peripheral OKC, 11, 12
 - preoperative diagnosis, 26, 32
 - primordial cyst, 6, 7, 25, 28, 44
 - PTCH* gene, 54, 56
 - p53, 12, 41, 45–47, 49–53, 55, 56
 - p63, 50, 51
 - p73, 50
 - radiological features, 14, 23–29, 57
 - rat liver antigen (RLA), 39–41
 - recurrences, 10, 11, 13–17, 26, 30, 34–37, 45, 46, 48, 51, 56–58
 - root resorption, 26
 - satellite cysts, 14, 16, 29, 35, 48, 49
 - simulating nasopalatine cyst, 26
 - site, 7, 10, 11, 16, 29
 - size, 11, 13, 14, 16–18, 20, 21, 57, 58
 - sonic hedgehog (Shh) signalling, 56
 - squames, 32, 33, 36
 - terminology, 6
 - treatment: 13–15, 30, 45, 48, 56–58
 - enucleation, 11, 13, 15, 17, 30, 57
 - excision of epithelium, 11, 13, 15, 17, 30, 57
 - marsupialisation, 14, 20, 57, 58
 - TUNEL, 52
 - ultrastructural studies, 34, 36, 37
 - varieties of OKC, 7, 8, 11, 34
 - cytokeratin composition, 93
 - encapsulated multicystic, 91, 93
 - epithelial lining, 84, 88, 90
 - epithelial plaques, 83, 87–89, 92
 - frequency, 84
 - gender distribution, 85
 - growth potential, 87
 - histochemistry, 98
 - histology, 88
 - lateral radicular cyst, 79
 - melanin in epithelial lining, 90
 - multicystic form, 87–89, 91–93
 - pathogenesis, 82
 - plaques, *see epithelial plaques*
 - radiological features, 86, 91, 92
 - relation to gingival cyst, 79, 83–85, 87
 - site, 85
 - thickening of epithelium, 88, 89
 - treatment, 91
 - unicystic type, 87–89
 - unilocular type, 91, 92
 - leucine aminopeptidase, in keratocyst wall, 37
 - lingual cysts, foregut origin, 188–190
 - clinical features, 188, 189
 - development, 188
 - histological features, 189, 190
 - treatment, 190
 - lingual mandibular bone defect (Stafne cavity), 160, 161
 - lip,
 - cysticercosis, 193
 - mucocoeles, 171–174
 - lipofuscin in nasopalatine duct cysts, 115
 - lymphocytes in radicular cysts, 128–130, 133, 138, 140
 - lymphoepithelial cysts, *see branchial cleft anomalies*, 184–187
 - Malassez, cell rests, 30, 38, 42, 44
 - keratin, 38
 - paradental cyst, 143, 148, 149
 - proliferation, 128–131, 140
 - Malherbe, calcifying epithelioma of, 100, 103, 105, 106
 - mandibular infected buccal cyst, 143–147
 - mast cells
 - keratocysts, 19, 36
 - radicular cysts, 128, 134, 140
 - matrix metalloproteins, 19–21
 - maxillary antrum,
 - antral cysts, 162–170
 - classification, 163
 - mucocoele of antrum, 162–164
 - age and gender, 162
 - allergy, 164
 - clinical features, 162
 - clinical presentation, 163
 - frequency, 162
 - histopathology, 164
 - inflammatory origin, 162–164
 - mucosal cyst, 162, 164–166
 - pathogenesis, 164
 - radiological features, 163
 - site, 165
 - terminology, 162
 - postoperative maxillary cyst, 167–170
 - age and gender, 168
 - clinical features, 167–169
 - clinical presentation, 168, 169
 - frequency, 167, 168
 - histopathology, 170
 - pathogenesis, 169
 - radiological features, 169
 - treatment, 170
 - retention cyst and pseudocyst, 164–167
 - age and gender, 164
 - clinical presentation, 165, 166
 - frequency, 164
 - pathogenesis, 166, 167
 - pathology and histopathology, 167
 - radiological features, 166
 - treatment, 167
 - median alveolar cyst (so-called), 115, 116
 - median mandibular cyst (so-called), 115, 116
 - median palatal raphe, 117
 - median palatine cyst (so-called), 108, 109, 111, 112, 115, 116
 - melanin-containing cells, 90
 - melanin deposits in cysts, 36, 105, 115
 - midpalatal raphe cysts of infants, 3–5, 115, 117
 - mouth floor,
 - dermoid and epidermoid cysts, 181, 183
 - lymphoepithelial cyst, 184
 - ranula, 172, 176, 177
 - mucocoeles, 171–176 *see 'salivary gland cysts'*
 - myofibroblasts, 19, 22
 - naevoid basal cell carcinoma syndrome (NBCCS), 10–12, 14, 16, 22, 29, 31, 32, 34–36, 43, 45–48, 50–56
 - nasolabial cyst, 119, 122
 - age distribution, 119, 120
 - breathing difficulty, 119
 - clinical features, 119
 - clinical presentation, 119, 120
 - epithelial lining, 122
 - frequency, 119
 - gender distribution, 119, 121
 - histological features, 122
 - origin, 121
 - pathogenesis, 121, 122
 - radiological features, 120, 121
 - treatment, 122
- latent bone cyst, 160
- lateral dentigerous cyst, 60, 63–65
- lateral periodontal cyst, 84–91
 - age distribution, 85
 - botryoid type, 91–93
 - clear cells, 87, 88, 92
 - clinical features, 84
 - clinical presentation, 85

- nasopalatine duct:
organ of smell, 113
- nasopalatine duct cyst, 108–118
aetiology, 113
age distribution, 108, 109
black and white patients, 109
clinical features, 108–110
clinical presentation, 109, 110
CT scan, 112
diagnosis, 110–112, 115, 116
dry skull measurements, 110, 111
epithelium, 114
extension, 112, 115
frequency, 108
gender, 108, 109
globulomaxillary cysts, 116–118
growth, 113
histological features, 113–115
hyaline cartilage in walls, 115
inflammatory origin, discussion, 113
median palatine cyst, 115–116
median mandibular cyst, 116
melanin and lipofuscin, 115
nerves and blood vessels, 114–116
neurovascular bundle, 114
pathogenesis, 112, 113, 117
radiological features, 110–112
treatment, 115
vomer-nasal organs of Jacobson, 113, 115
- nasopharyngeal cysts, 191
- odontogenic keratocyst, *see Keratocyst*, 6–58
- oncocytoid cysts, 171, 175
- oral alimentary tract cyst, 188
- oral tonsils, 186
- osteoclast activating factor, 67
- osteosarcoma, 152, 153
- Pager's disease of bone, 152
- palatine papilla, 108, 109, 113–115
- paradental cyst, 143–149
age distribution, 144–146
clinical features, 144
epithelial lining, 148–149
frequency, 144, 145
gender distribution, 145
histological features, 148, 149
inflammatory collateral cysts, 149
inflammatory origin, 143, 144, 148
juvenile paradental cysts, 144–147
pathogenesis, 146–148
pathology and histopathology, 148–149
radiological features, 147
site, 142, 144–146
treatment, 149
- parasitic cysts, 192, 195
cysticercus cellulosae, 193, 194
hydatid cysts, 192, 193
trichinosis, 194, 195
- parathyroid hormone-related protein, PTHrP, 19, 23
- parotid gland,
calcifying odontogenic cyst in, 102
lymphoepithelial cyst, 177, 178
AIDS-related, 178
polycystic (dysgenetic) disease, 178, 179
sclerosing polycystic adenosis, 179
- PCNA, *see* 'keratocyst'
- periapical granuloma, 129–131
- pericoronitis,
paradental cyst, 143–146, 148, 149
- peripheral odontogenic keratocyst, 11, 12
- pigmented cells in radicular cysts, 138
- pilar cyst of the skin, 184
- plasma lipids in radicular cysts, 138
- plasma proteins in radicular cysts, 132
- postoperative maxillary cyst, 162, 163, 166–169
age distribution, 168
clinical presentation, 168
frequency, 167, 168
gender distribution, 168
histological features, 170
pathogenesis, 169
radiological features, 169
site, 168
treatment, 170
- primordial cysts, *see* odontogenic keratocysts
- prostaglandins,
cyst growth and bone resorption, 84, 89, 150
- protein in cyst fluid, 18, 32, 33, 70, 131, 132
- proteoglycans in OKCs, 18, 19
- PTCH gene, 12, 13
- p53, *see* 'keratocyst'
- p63, 50, 51
- p73, 50
- radicular cysts, 123–141
age distribution, 123, 124
anatomical distribution, 124
apical granuloma, 126, 129–131, 141
bay cyst, 126, 139
calcifications, 140
carcinomatous change, 141
cholesterol crystals, 134, 137–140
ciliated cells, 135, 136
clinical features, 123–125
clinical presentation, 125
cyst growth, 129, 13, 133, 134, 142
cyst-prone subjects, 125, 134
cytokeratins, 40, 41, 139
deciduous teeth, 123, 126, 126
diagnosis, 125–127, 141
endodontic treatment, 126, 139, 141, 142
enlargement, 125, 128, 131, 133
epithelial lining, 129, 133, 135, 136, 138, 141
carcinomatous change, 141
Langerhans cells, 130
proliferation, 123, 128–131, 133, 140, 142
experimental studies, 131, 133, 134
factor XIIIa, 139
formation, 128, 130, 131
frequency, 123–126, 134
frequency of residual cysts, 126
gender distribution, 123
giant cells, 138
growth factor, 129
haemosiderin, 132, 140
hyaline bodies, 136–138
immune mechanisms, 125, 128, 129, 131, 132, 134
immunoglobulins, 128, 132
infected fluids, 140
infection, 125, 127, 128, 135, 139, 140
inflammation, 125–128, 130, 132, 134, 135, 140–142
inflammatory collateral cyst, 123
initiation, 128
interleukin, IL-1, IL-6, 129, 134
intracystic pressure, 133, 142
involucrin, 139
keratinised linings, 135, 141
keratin metaplasia and malignant change, 141
lymphocytes, 128–130, 133, 138, 140
malignant change, 141
mast cells, 128, 134, 140
microcysts, 130, 131
mimicking dentigerous cysts, 141
MMPs, 131, 134
mucous cells, 135, 136
mural nodules, 134
non-surgical treatment, 141, 142
osmolality, 131
osteoclasts, 134
pathogenesis, 126, 128, 129, 131, 137, 140
pathological features, 134–140
permeability of cyst walls, 131, 132
pigmented cells, 381
plasma lipids, 138
plasma proteins, 132
pocket cyst, 126, 139, 142
prostaglandins, 133, 134
proteins in fluids, 132
radiological features, 126, 128
regression, 132, 138
residual cysts, 126, 127, 131–133, 136, 139–141

- radicular cysts (*cont.*)
 resorption of bone, 132–134
 resorption of roots, 127–129
 root canal fluids, 127
 Rushton's hyaline bodies, 136–138
 satellite microcysts, 140
 secretory epithelium, 136
 site, 124, 125
 treatment, 126, 139–142
 vascular walls, 128, 129, 132, 140
 ultrastructure, 140
- ranula, 176
 superficial or plunging, 176
 treatment, 176, 177
- Rathke's pouch,
 cysts, 199
- reactive oncocytoid cysts, 171, 175
- residual cysts, *see radicular cysts*
- roundworms, 192
- Rushton's hyaline bodies, 136–138
- salivary gland cysts, 171–180
 mucocoeles, 171–76
 age distribution, 171
 clinical features, 171
 clinical presentation, 172, 173
 epithelial lining, 171, 173–176
 frequency, 171
 gender, 171
 histological features, 174, 175
 mucous extravasation cyst, 171, 174–176
 mucous retention cyst, 171, 173–175, 177
 pathogenesis, 173, 174
 pathology, 174
 site, 171, 172
 terminology, 171
 traumatic origin, 172–174, 176
 treatment, 175
- ranula, 172, 176, 177
 superficial or plunging, 176
 treatment, 177
- salivary duct cysts, 177–180
 lymphoepithelial cysts, 177
 AIDS-related lymphoepithelial cysts, 178
 lymphoepithelial cyst of parotid, 177
 polycystic (dysgenetic) disease of parotid, 177, 178
 sclerosing polycystic adenosis, 179, 180
- scalp,
 keratinous cyst, 183, 184
 Serres' glands, 3, 4
- sialo-odontogenic cyst, *see glandular odontogenic cyst*
- simple bone cyst, *see solitary bone cyst*
- Sjögren's syndrome, 203
- skin
 cysts, 182–185
- soft tissue cysts,
 developmental, 181–191
see also specific cysts and sites
- solitary bone cyst, 156–161
 age distribution, 156, 157
 clinical presentation, 157
 frequency, 156
 gender distribution, 156
 pathogenesis, 158, 159
 pathology, 159
 radiological features, 173, 158, 160
 site distribution, 156, 157
 treatment, 159, 160
- Stafne cavity, 160, 161 *see lingual mandibular bone defect*
- surgical ciliated cyst of the maxilla, *see postoperative maxillary cyst*
- Taenia* spp, 223
Taenia solium, 224
- tapeworms (Cestoidea), 192
- teeth,
 aplasia, 29
- displacement,
 by aneurysmal bone cysts, 151
 by calcifying odontogenic cyst, 102
 by dentigerous cyst, 63, 65
 by keratocysts, 11, 26
 by nasopalatine duct cyst, 110, 111
 by solitary bone cyst, 159
- enamel hypoplasia, 69
- impacted,
 dentigerous cysts, 62, 63, 66, 68, 70, 71, 75
 distribution, 68, Table 4
- unerupted,
 dentigerous cysts around, 59, 60, 62–65, 68, 71
- tenascin, 19, 22
- teratoid cyst, 183
- thymic cyst, 191
- thyroglossal duct cyst, 187, 188
 clinical features, 187
 development, 187
 histological features, 187, 188
 malignant change, 188
 treatment, 188
- tongue,
 anterior median lingual cyst, 188, 189
 cysticercosis of, 193
 lingual cyst of foregut origin, 188, 189
 lymphoepithelial cysts, 185, 186
 mucocoeles, 173
 tonsils, oral, 186
- Tornwaldt's bursa, 191
- trauma,
 solitary bone cysts, 157–159
 causing mucocoeles, 172–174, 176
- trichilemmal (pillar) cyst, 184
- Trichinella spiralis*, 192
- trichinosis, 194, 195
- tumour necrosis factor, 19, 20
- vomer-nasal organ of Jacobson, 115
- wisdom teeth:
 dentigerous cyst, 60, 62